UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|---|----------------------|----------------------|---------------------|------------------|
| 10/654,313 | 09/03/2003 | Robert M. Guidash | 86321PCW | 4417 |
| Thomas H. Clos | 7590 09/28/200 se | EXAMINER | | |
| Patent Legal Sta | | NGUYEN, LUONG TRUNG | | |
| Eastman Kodak Company 343 State Street Rochester, NY 14650-2201 | | | ART UNIT | PAPER NUMBER |
| | | | 2622 | |
| | | | | |
| | | | MAIL DATE | DELIVERY MODE |
| | | | 09/28/2009 | PAPER |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

| | Application No. | Applicant(s) | |
|--|---|---|--|
| | 10/654,313 | GUIDASH, ROBERT M. | |
| Office Action Summary | Examiner | Art Unit | |
| | LUONG T. NGUYEN | 2622 | |
| The MAILING DATE of this communication appeariod for Reply | ppears on the cover sheet with the o | correspondence address | |
| A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory perio - Failure to reply within the set or extended period for reply will, by statu. Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b). | DATE OF THIS COMMUNICATION 1.136(a). In no event, however, may a reply be tind will apply and will expire SIX (6) MONTHS from the, cause the application to become ABANDONE | N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133). | |
| Status | | | |
| Responsive to communication(s) filed on <u>09</u> This action is FINAL . 2b) ☑ The 3) ☐ Since this application is in condition for allow closed in accordance with the practice under | is action is non-final. ance except for formal matters, pro | | |
| Disposition of Claims | | | |
| 4) ☐ Claim(s) 1-5,8-13 and 16-24 is/are pending in 4a) Of the above claim(s) is/are withdr 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-5,8-13 and 16-24 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and an are subject. | rawn from consideration. | | |
| Application Papers | | | |
| 9) The specification is objected to by the Examir 10) The drawing(s) filed on is/are: a) according a contract any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examiration is objected to by the Examiration is objected. | ccepted or b) objected to by the e drawing(s) be held in abeyance. Se ection is required if the drawing(s) is ob | e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d). | |
| Priority under 35 U.S.C. § 119 | | | |
| 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bure * See the attached detailed Office action for a list | nts have been received. nts have been received in Applicat iority documents have been receive au (PCT Rule 17.2(a)). | ion No ed in this National Stage | |
| Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date | 4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other: | ate | |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 09/09/2009 has been entered.

Response to Arguments

2. Applicant's arguments filed on 09/09/2009 with respect to claims 8, 17, 18, 21-23 have been fully considered but they are not persuasive.

The allowability of independence claims 1 and 9, as made in Office Action on 06/09/2009, are withdrawn since Applicant amended independence claims 1 and 9 by canceled the allowable subject matter of claims; the amended claims 1 and 9 are still read on Morris and Abe references.

In re pages 7-8, Applicant argues that Morris and Tanaka are incompatible in that Morris teaches different integration times and Tanaka identical integration times. Therefore, Morris and Tanaka does not disclose "an integration time control line for each row of pixels, wherein each integration time control line is routed to a portion of the pixels in one row and to a portion of the pixels in an adjacent row" as amended in claims 8 and 17.

Application/Control Number: 10/654,313

Page 3

Art Unit: 2622

In response, noted that Morris discloses that the imager 140 independently sets the duration of the integration interval that is used by each group 113; due to this independent control of the integration durations, the exposure time of each different group 113 may be adjusted to accommodate the brightness of a different portion of the optical image (figure 5, column 3, lines 15-21). This indicates that the exposure time of each different group 113 may be the same; this shows that Morris and Tanaka are compatible since both teach identical integration times. Therefore, the Examiner still considers that Morris and Tanaka does disclose "an integration time control line for each row of pixels, wherein each integration time control line is routed to a portion of the pixels in one row and to a portion of the pixels in an adjacent row to provide an output signal values" as amended in claim 8. Morris discloses that the imager 140 independently sets the duration of the integration interval that is used by each group 113; due to this independent control of the integration durations, the exposure time of each different group 113 may be adjusted to accommodate the brightness of a different portion of the optical image (figure 5, column 3, lines 10-29; 55-62). And Takada et al. discloses a solid-state image pickup device, which includes an integration-time control line Lint for each row of pixels Gmm (figures 1, 4-6, column 12, lines 1-57).

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 2622

4. Claims 1-5, 9-13, 16, 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Morris et al. (US 6,665,010) in view of Abe (US 6,747,698).

Regarding claims 1, 9, 24, Morris et al. discloses a camera (digital camera 12, figure 1, column 1, lines 8-20) comprising:

an image sensor (digital imager 140, figure 5) comprising:

a plurality of pixels arranged in an array of rows and columns (an array of pixel sensing unit 118, figure 5, column 3, lines 5-30);

a color filter pattern (one group of pixels is associated with red color or green color, figure 5, column 3, lines 30-52) spanning at least a portion of the pixels, wherein the color filter pattern forms a plurality of color filter kernels (group of four pixels 113a, 113b, 113c, 113d, one group has red pixel color, another group has green pixel color, figure 5, column 3, lines 5-40) wherein the kernels are arranged in at least two different uniformly distributed sets (each group of pixels includes 2x2 pixels, figure 5, column 3, lines 5-40); and

(c) a mechanism for independent control of controlling an integration time of each uniformly distributed set, wherein a first uniformly distributed set has a first integration time and a second uniformly distributed set has a second integration time that is different from the first integration time (the integration interval of each group of pixels 113a, 113b, 113c, 113d are different, column 3, lines 5-30).

Morris et al. and Takada et al. fail to specifically disclose the plurality of color filter kernels having at least one color of every color in the color filter pattern in a predetermined arrangement with an identical pattern of colors in each color filter kernel. However, Abe teaches a digital camera 10 in which the color filter 13 is divided into a 2x2 pixel matrix M1, each pixel

Art Unit: 2622

matrix M1 has the same plurality of colors R, G, B (figure 2, column 3, lines 51-60). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Morris et al. by the teaching of Abe in order to reduce the chromatic blur which occurs in a reproduced image because of the interpolating process (column 1, lines 40-43).

Regarding claims 2, 10, Abe discloses wherein the color filter pattern is a Bayer color filter pattern (figure 2, column 1, lines 10-21, column 3, lines 51-60).

Regarding claims 3, 11, Morris et al. discloses wherein the color filter pattern is a 2x2 kernel (group of four pixels, figure 5, column 3, lines 5-30).

Regarding claims 4, 12, Morris et al. discloses wherein the at least two different uniformly sets comprises an alternating pattern of two lines of 2x2 kernels (the integration interval of each group of pixels 113a, 113b, 113c, 113d are different, column 3, lines 5-30).

Regarding claims 5, 13, Morris et al. discloses wherein the at least two different uniformly distributed set comprise 2x2 kernels (the integration interval of each group of pixels 113a, 113b, 113c, 113d are different, column 3, lines 5-30).

Regarding claim 16, Morris et al. discloses a mechanism that reads out at least a subset of the plurality of pixels and uses the signal values obtained from the readout to determine the

integration times of the plurality of pixels (integration times for different groups of pixels are independently controlled (column 3, lines 5-50).

Page 6

5. Claims 8, 17-18, 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Morris et al. (US 6,665,010) in view of Takada et al. (US 6,831,691).

Regarding claims 8, 17, Morris et al. discloses a camera (digital camera 12, figure 1, column 1, lines 8-20) comprising:

an image sensor (digital imager 140, figure 5) comprising:

a plurality of pixels arranged in an array of rows and columns (an array of pixel sensing unit 118, figure 5, column 3, lines 5-30);

the output signal values having signals that are generated from pixels within at least two physically separate rows within the array (the signal values that are generated from the array of pixel sensing units 118 are transferred to output interface 128, figure 5, column 7, lines 9-31). Noted that the signal values that are generated from the array of pixel sensing units 118 (plurality of groups 113, each group 113 comprises of 2x2 pixel sensing units 118), which corresponds to the output signal values having signals that are generated from pixels within at least two physically separate rows within the array, are transferred to output interface 128, figure 5, column 7, lines 9-31.

Morris et al. fails to specifically disclose an integration time control line for each row of pixels, wherein each integration time control line is routed to a portion of the pixels in one row and to a portion of the pixels in an adjacent row to provide an output signal values. However, Morris discloses that the imager 140 independently sets the duration of the integration interval

that is used by each group 113; due to this independent control of the integration durations, the exposure time of each different group 113 may be adjusted to accommodate the brightness of a different portion of the optical image (figure 5, column 3, lines 10-29; 55-62). And Takada et al. discloses a solid-state image pickup device, which includes an integration-time control line Lint for each row of pixels Gmm (figures 1, 4-6, column 12, lines 1-57).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Morris et al. by the teaching of Takada et al. to provide a solid-state image pickup device which has the advantage of providing high-quality still images even of moving objects with a simple structure (column 12, lines 54-57).

Regarding claims 18, 23, Morris et al. discloses:

memory (memory 263, figure 12, column 7, lines 37-49);

means for writing the output signal values into two row locations the memory for each row of pixels, wherein the output signal values are reconstructed in the memory (the signals that are readout from imager 140 are stored in memory 263, figure 12, column 7, lines 37-49).

6. Claims 19, 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Morris et al. (US 6,665,010) in view of Abe (US 6,747,698) further in view of Takada et al. (US 6,831,691).

Regarding claims 19, 20, Morris et al. discloses output signal values having signals that are generated from pixels within at least two physically separate rows within the array (the signal values that are generated from the array of pixel sensing units 118 are transferred to output

Art Unit: 2622

interface 128, figure 5, column 7, lines 9-31). Noted that the signal values that are generated from the array of pixel sensing units 118 (plurality of groups 113, each group 113 comprises of 2x2 pixel sensing units 118), which corresponds to the output signal values having signals that are generated from pixels within at least two physically separate rows within the array, are transferred to output interface 128, figure 5, column 7, lines 9-31.

Morris et al. and Abe fail to specifically disclose an integration time control line for each row of pixels, wherein each integration time control line is routed to a portion of the pixels in two adjacent rows to provide an output signal values. However, Morris discloses that the imager 140 independently sets the duration of the integration interval that is used by each group 113; due to this independent control of the integration durations, the exposure time of each different group 113 may be adjusted to accommodate the brightness of a different portion of the optical image (figure 5, column 3, lines 10-29; 55-62). And Takada et al. discloses a solid-state image pickup device, which includes an integration-time control line Lint for each row of pixels Gmm (figures 1, 4-6, column 12, lines 1-57).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Morris et al. and Abe by the teaching of Takada et al. to provide a solid-state image pickup device which has the advantage of providing high-quality still images even of moving objects with a simple structure (column 12, lines 54-57).

7. Claims 21-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Morris et al. (US 6,665,010) in view of Takada et al. (US 6,831,691) further in view of Abe (US 6,747,698).

Application/Control Number: 10/654,313 Page 9

Art Unit: 2622

Regarding claim 21, Morris et al. discloses a color filter pattern (one group of pixels is associated with red color or green color, figure 5, column 3, lines 30-52) spanning at least a portion of the pixels, wherein the color filter pattern forms a plurality of color filter kernels (group of four pixels 113a, 113b, 113c, 113d, one group has red pixel color, another group has green pixel color, figure 5, column 3, lines 5-40) wherein the color filter kernels are arranged in at least two different uniformly distributed sets that are correlated with the color filter pattern (each group of pixels includes 2x2 pixels, figure 5, column 3, lines 5-40).

Morris et al. and Takada et al. fail to specifically disclose the plurality of color filter kernels having at least one color of every color in the color filter pattern in a predetermined arrangement with an identical pattern of colors in each color filter kernel. However, Abe teaches a digital camera 10 in which the color filter 13 is divided into a 2x2 pixel matrix M1, each pixel matrix M1 has the same plurality of colors R, G, B (figure 2, column 3, lines 51-60). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Morris et al. by the teaching of Abe in order to reduce the chromatic blur which occurs in a reproduced image because of the interpolating process (column 1, lines 40-43).

Regarding claim 22, Morris et al. discloses wherein the color filter pattern is a 2x2 kernel (group of four pixels, figure 5, column 3, lines 5-30).

Conclusion

Application/Control Number: 10/654,313 Page 10

Art Unit: 2622

8. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to LUONG T. NGUYEN whose telephone number is (571) 272-

7315. The examiner can normally be reached on 7:30AM - 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, DAVID L. OMETZ can be reached on (571) 272-7593. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/LUONG T NGUYEN/ Examiner, Art Unit 2622 09/26/09